



16B1/241.04

OUR CODE 12B1	Pitch	Roller Ø	Width Between Inner Plates	Pin Ø	Pin Length	Plate Depth	Plate Thickness	Attachment	Ultimate Tensile Strength	Weight Per Meter
	p	d3	b1	d1	L1	g	s1/s2	Height	Q	q
	mm	mm	mm	mm	mm	mm	mm	mm	kg	kg/mt
12B1/241.04	19,050	12,070	11,68	5,72	22,50	16,00	1,85	13,20	2.900	1,20




16B1/243.04




16B1/247.04

OUR CODE 16B1	Pitch	Roller Ø	Width Between Inner Plates	Pin Ø	Pin Length	Plate Depth	Plate Thickness	Attachment	Ultimate Tensile Strength	Weight Per Meter
	p	d3	b1	d1	L1	g	s1/s2	Height	Q	q
	mm	mm	mm	mm	mm	mm	mm	mm	kg	kg/mt
16B1/243.04	25,400	15,880	17,02	8,28	36,10	21,00	3/4	16,00	6.000	2,90
16B1/247.04	25,400	15,880	17,02	8,28	36,10	21,00	3/4	17,40	6.000	2,90


24B1/244.04




24B1/245.04




24B1/060.04





24B1/246.04




OUR CODE 24B1	Pitch	Roller Ø	Width Between Inner Plates	Pin Ø	Pin Length	Plate Depth	Plate Thickness	Attachment	Ultimate Tensile Strength	Weight Per Meter
	p	d3	b1	d1	L1	g	s1/s2	Height	Q	q
	mm	mm	mm	mm	mm	mm	mm	mm	kg	kg/mt
24B1/244.04	38,100	25,400	25,40	14,63	53,40	40,00	5/6	23,00	16.000	7,50
24B1/245.04	38,100	25,400	25,40	14,63	53,40	34,00	5/6	21,00	16.000	7,50
24B1/060.04	38,100	25,400	25,40	14,63	53,40	38,50	5/6	21,50	16.000	7,50
24B1/246.04	38,100	25,400	25,40	14,63	53,40	35,50	5/6	18,00	16.000	7,50



OUR CODE	Pitch	Roller Ø	Width Between Inner Plates	Pin Ø	Pin Length	Plate Depth	Plate Thickness	Height Of Attach.	Depth Of Attach.	Plate Radius	Radius Of Attach.	Length Of Attach.	Ultimate Tensile Strength	Weight Per Meter
	p	d3	b1	d1	L1	g	s1/s2	h	h1	r	r1	m	Q	q
	mm	mm	mm	mm	mm	mm	mm	mm	mm	mm	mm	mm	kg	kg/mt
24B1/230.04	38,100	25,400	25,40	14,63	53,40	34,00	5/6	27,75	18,00	25,00	3,00	70,00	16.000	7,50
40B1/231.04	63,500	39,370	38,10	22,89	80,00	53,00	8/9	40,00	24,00	5,00	2,00	123,50	38.000	16,00



74 /75



76 /77

OUR CODE	Pitch	Width Between Inner Plates	Roller Ø	Bush Ø	Pin Ø	Pin Length	Plate Depth	ATTACHMENT			Plate Thickness	Ultimate Tensile Strength
	p	b1	d3	d2	d1	L1	g	h1	h2	h3	s1/s2	Q
	mm	mm	mm	mm	mm	mm	mm	mm	mm	mm	mm	kg
32BS-74	50,08	15,0	29,21	22,65	17,80	50	40	20	33	45	7	25,000
32BS-75	50,08	32,0	29,21	22,65	17,80	66	40	20	33	45	7	25,000
32BSPP-76	50,08	22,0	29,21	22,65	17,80	50	40	20	33	45	5	13,000
32BSPP-77	50,08	28,0	29,21	22,65	17,80	66	40	20	33	45	7	25,000